

**KOREA**  
**HYUNDAI L&C HEADQUARTER**

EastCentralTowerBuilding, 1077,  
Cheonho-daero, Gangdong-gu, Seoul, Korea (05340)  
Tel. +82 2 6364 7488  
Email. info.stone@hyundailnc.com  
www.hanex.com

**USA**  
**HYUNDAI L&C USA LLC**

1760 Corporate Dr, Norcross, GA, USA (30093)  
Tel. +1 888 426 9421  
Email. info@hanexsolidsurfaces.com  
www.hanexsolidsurfaces.com

**EUROPE**  
**HYUNDAI L&C EUROPE GmbH**

Düsseldorf Str. 13, Eschborn, Germany (65760)  
Tel. +49 619 6586 9010  
Email. info@hyundailnc.eu  
www.hyundailnc.eu

**INDIA**  
**HYUNDAI L&C INDIA PVT LTD**

Unit 1303, JMD Regent Square, MR Road,  
Gurugram, Haryana, India (122002)  
Tel. +91 0124 4317 305  
Email. ask.india@hyundailnc.com

**CHINA**  
**HYUNDAI L&C TRADING (SHANGHAI) CO., LTD**

Room 603, Mixc Mall A, Wuzhong Rd 1799,  
Minhang Dist, Shanghai, China (201103)  
Tel. +86 21 3252 2291  
Email. sz.wang@hyundaish.com  
www.hyundailnc.cn



[www.unexsurface.co.kr](http://www.unexsurface.co.kr)





## COMPANY

Hyundai L&C being a total interior enterprise of Hyundai Department Store Group has grown as a representative enterprise in Korea specializing in building materials since its foundation in 1965.

It runs the business of various building materials including high-class interior stones and various surface finishing materials based on eco-friendly interior film manufacturing technology, trendy style wall papers and flooring materials, and up to windows & doors of grade 1 energy saving technology, and it is strengthening the status as the 'total living interior enterprise' by providing one-stop services from counseling to delivery, construction and after-sales service through operation of directly-managed interior store.

Also, Hyundai L&C has expanded the territory of the market by establishing overseas branches beyond Korea throughout the world including, but not limited to, Canada and the United States, Europe, China and India, and it is accelerating penetration of the global market by establishing cooperation relationships with a variety of global enterprises, etc.

Since becoming the new family of Hyundai Department Store Group in 2018, Hyundai L&C will lead the future life by analyzing and forecasting the lifestyles of customers and design trends in order to make happier and richer world for customers. It will also create a new interior culture with its strong global network, excellent human resources and advanced technical skills.

## Vision & Strategy



### Mission

For the happiness of our customers,  
For an abundant world



### Vision

The most reliable company for customers in Korea.  
(1st place in target market and customer trust)

Our vision is to become the most reliable company for our customers.

To achieve this vision, we are passionately committed to implementing three strategies related to business development, company culture, and management infrastructure, which are based on our core values of autonomous creativity, sustainable growth, innovative work, customer focus, and the win-win pursuit of goals.

## Core Value



### Customer

The first company customers think of



### Company

A company with sustained growth



### Community

A company that helps people in need



### Co-worker

A company that offers the best opportunities  
for professional growth and satisfaction



### Passion

Autonomous Creativity, Sustainable Growth,  
Innovation, Customer Focus, Win-win Pursuit

## Strategy

Business Development

Company Culture

Management Infrastructure

# Unex® Surfaces



**LOBBY**

Information desk, Reception desk



**UG-235 LEO MIST**

**Colors** UG-235 Leo Mist

**Applications** Information desk, Lobby Reception desk, Pillar / Sculpture

Unex® Surfaces has excellent stability and water repellent properties, which are not affected by the surrounding environment, and it maintains its original shape for a long time. It is an ideal material for counters in commercial buildings or for kitchen counters in residential buildings.

# Unex® Key Features




**Durability**

Unex® Surfaces is a non-porous material that has the equal properties inside and outside. Any damages or scratches can be easily recovered as new. The excellent waterproof properties prevent water penetration and make it hygienic all the time.



**Easy Handling**

Unex® Surfaces is easy to handle in the installation and maintenance process. It only requires the minimum resources to process the material. It can be easily recovered from the damage with a simple process.



**Design Diversity**

Unex® Surfaces has a wide range in colors and patterns that can meet the broad tastes in the market. We have a wide range of knowledge and technology in developing market-leading designs from 25 years of experience in interior stone business.



**Infinite Design**


Unex® Surfaces features a seamless design when multiple sheets are attached. Joint line is invisible and hygienic that designer can apply infinite designs for use in hospitals and laboratories.

# Unex® Application

The Unex® Surfaces has excellent stability and waterproofness, making it suitable for use in a variety of spaces. It is a material that can be used freely without distinction between residential and commercial spaces.



**RV**  
RV Countertop



**Ship**  
Ship Interior Material

# Unex® Surfaces



**KITCHEN**  
Kitchen wall, Countertop



**OFFICE**  
Table, Information Table



**UG-232 CASSIOPEIA CREAM**

**Colors** UG-232 Cassiopeia Cream

**Applications** Kitchen wall, Countertop



**UG-231 ORION GREY**

**Colors** UG-231 Orion Grey

**Applications** Office Table, Office Information desk



**LOBBY**  
desk



**UG-234 WARM ARIS**

**Colors** UG-234 Warm Aris

**Applications** Information desk, Lobby Reception desk



**LOBBY**  
desk



**UG-236 ROSEATE**

**Colors** UG-236 Roseate

**Applications** Information desk, Lobby Reception desk



**BATHROOM**  
Vanity, Lower Cabinet



**UG-233 TAURUS**

**Colors** UG-233 Taurus

**Applications** Bathroom Vanity, Bathroom Lower Cabinet



**STORE**  
Counter Top



**U-40 ALPHA WHITE**

**Colors** U-40 Alpha White

**Applications** Store Reck Display, Counter Top


# Unex® Color Index




UG-231 ORION GREY



UG-232 CASSIOPEIA CREAM



UG-233 TAURUS



UG-234 WARM ARIS



UG-235 LEO MIST



UG-236 ROSEATE



U-02 ARCTIC ICE




U-03 SNOW TRACK



U-04 BEAUTY SALON



U-11 MOCHA COFFEE




U-40 ALPHA WHITE




U-41 FOG GREY



U-42 SPACE BLACK



U-43 VANILLA




U-44 COCOA POWDER




U-45 BROWNIE




U-46 SHADOW




U-48 DESIGN RED



U-49 DESIGN ORANGE



U-50 DESIGN YELLOW



U-52 MUDDY




U-53 DUST



U-57 CRYSTAL



U-58 CREAM SAND




U-59 SANDSTONE




U-63 DESERT FOX



U-66 OAT



U-67 DARK NIGHT



UL-07 SPARKLING




UL-14 SILVERLIGHT




UL-20 COLD ARCTIC



UL-21 UNITY CONCRETE



UT-01 HELIOS



UT-02 CLAM

# Test Results

## Imitation Marble

TEST ITEM	UNIT	SAMPLE	RESULT	TEST METHOD
Specific Gravity[(23/23)°C]	-	-	1.78	ASTM D792-13 (Method A)
Tensile Strength	MPa	-	25.3	ASTM D638-14 (**)
Tensile Modulus of Elasticity	GPa	-	7.48	ASTM D638-14 (**)
Flexural Strength	MPa	-	49.7	ASTM D790-15e2 (***)
Flexural Modulus of Elasticity	GPa	-	9.74	ASTM D790-15e2 (***)
Water Absorption (24 h Immersion)	%	-	0.03	ASTM D570-98 (2010)e1
Appearance (Discoloration, Crack) after Heat Resistance	-	-	No Defects	JIS K 6902 : 2008
Appearance (Discoloration, Crack) after Heat Water Resistance	-	-	No Defects	JIS K 6902 : 2008
Deflection Temperature Under Load (1.82 MPa)	°C	-	62	ASTM D648-16 (Method B)
Accelerated Weathering Test(*) - Discoloration	-	-	No Defects	KS M ISO-2 : 2012, Method by Client
Density (23°C)	g/cm <sup>3</sup>	-	1.78	ASTM D792-13 (Method A)
Rockwell Hardness (HRM)	-	-	86	ASTM D785-08 (2015) (Procedure A)
Izod Impact Strength	J/m	-	19	ASTM D256-10e1 (Method A)

### \* Accelerated Weathering Test Condition

Light Source : 6500W Xenon Arc, Irradiance : 0.51 W/m<sup>2</sup>  
 B.P.T : 63°C ± 3°C, Humidity : 50% ± 5% RH,  
 Inner/Outer Filter : Borosilicate/Borosilicate, Spray Cycle : 18 min/120 min, Exposure Time : 4h

\*\* Specimen : Type I, Speed of Testing : 5 mm/min

\*\*\* Speed of Testing : 5.0 mm/min, Support Span : 190 mm

- Usage of Report : IN HOUSE CONTROL

### NOTE :

- The test results of this report are only limited in to the samples and sample names provided by the client and do not guarantee the quality of all products of the client.
- This test report shall be used only within the purpose of its defined usage and shall not be used for public relation, advertisement and lawsuit.
- This test report is only valid when printed on KTR original report paper with hologram and when re-issued by KTR. the copy and the electronic file of the test report are only for reference.

# Global Network



- 📍 Central Office
- 📍 Plant
- 📍 Showroom

## PLANT

### L-TECH, SEJONG PLANT

37, Buganggeumho-ro, Bugang-myeon,  
 Sejong-si, Korea (30074)  
 Tel. +82 44 279 8000

### C-TECH, SEJONG PLANT

79-20, Geumhoangol-gil, Bugang-myeon,  
 Sejong-si, Korea (30077)  
 Tel. +82 44 279 8000

### AMERICAN SURFACING MATERIALS

2101 Baker Blvd, Temple, TX, USA (76501)  
 Tel. +1 254 935 2601

### HYUNDAI L&C CANADA

2860 Innovation Drive, London, Ontario,  
 Canada (N6M 0C5)  
 Tel. +1 519 951 3154  
 E-mail. info@hanstone.ca  
 Tel. www.hanstone.ca

## SHOWROOM

### GALLERY Q

714, Nonhyeon-ro, Gangnam-gu, Seoul,  
 Korea (06051)  
 Tel. +82 2 508 4485

### VAUGHAN SHOWROOM

150 Caldari Road, Vaughan, Ontario (L4K 4L1)  
 Tel. +1 905 660 3770

### WEST COAST

16031 Carmenita Rd, Cerritos, CA, USA (90703)  
 Tel. +1 562 6230600

### SOUTHEAST

335 Riverside Parkway, Austell, GA, USA (30168)  
 Tel. +1 678 398 2513

### MIDWEST

2833 Charter St, Columbus, OH, USA (43228)  
 Tel. +1 614 9690100

### MID-ATLANTIC

135 Hartman Rd, North Wales, PA, USA (19454)  
 Tel. +1 215 646 2546

### NEW ENGLAND

292 Lonczak Rd, Chicopee, MA, USA (01022)  
 Tel. +1 413 240 4400