



PWS
GLOBAL

Reg. Office:

47, New Nagardas Road,
Andheri East, Mumbai - 400069.

Mktg. Office: 204/B, Vertex Vikas,

M. V. Road, Andheri East,
Mumbai - 400069.

Tel.: 8655539401 / 411

Email: info@npsm.co.in



VIVANTATM
SOLID SURFACES

Website:

www.vivantasurfaces.com



VIVANTATM
SOLID SURFACES



It's love at
first sight

Discover a romance that never fades!

You are sure to fall in love with Vivanta Solid Surfaces. If not for the stunning colours of the collection, then perhaps for the smooth, seamless edges or ability to complement a range of materials like wood, metal, glass and laminate. Versatile and malleable it is a surface that allows you to bring your design ideas into reality. The versatility of Vivanta Solid Surface makes it a smart and beautiful solution for a wide variety of applications like residential kitchen countertops, office furniture, high-end retail or hospitality surfacing and functional healthcare spaces.

Vivanta is naturally resistant to fade, heat, mold, mildew and most stains; What's more it is easily renewable. Even tough stains are easily buffed away. It is truly easy to live with Vivanta Solid Surfaces. The cleanup is a snap and there are no pores or seams to harbour stains or bacteria. And the certified installation comes with a Vivanta Solid Surface 10 year limited warranty. Explore the possibilities of Vivanta Solid Surfaces - get inspired and then impress others.

LUXE COLLECTON **QUARTZ** COLLECTON



VIVANTA[™]
SOLID SURFACES

Durable - They are impervious to scratches, chemicals and cooking stains. Immune to Sun rays and harsh weather conditions.

Hygienic - Non porous and seamless Vivanta does not harbour dirt and bacteria which makes them ideal for kitchens, restaurants and healthcare facilities.

Peace of mind, guaranteed - With Vivanta forget the maintenance woes. They are easy to clean, easy to care for and a joy to live with.


Colours galore - The colours of Vivanta are a visual treat and will leave you spoilt for choice.

Dream Big - Vivanta's unique characteristics makes it ideal for a plethora of both interior and exterior applications. Vivanta provides absolute freedom to the designer.

Assurance of Quality - Vivanta surfaces are backed up with complete fabrication and installation support and a 10 year warranty.

The excellent qualities of VIVANTA at a glance.

Design




Huge colour spectrum

Three-dimensional design for complete design freedom

Visually seamless joining of sheets and flush installation of sinks and basins

Spectacular light effects thanks to translucence

Performance




Robust and durable

Easy cleaning and exceptional hygiene properties

Free of emissions, formaldehyde and nanoparticles

Fire-resistant, impervious to liquids and resistant to germs and chemicals

Fabrication



Easy to process with hardwood tools

Easy to restore and repair

Off cuts can be reused reducing waste

Recycled colours available

LUXE

COLLECTON



VLX108
SAND STROME

VIVANTA™
SOLID SURFACES



VLX101
WHITE ONYX



VLX108
SAND STROME

LUXE
COLLECTON



VLX104
WINTER ICE



VLX106
WINTER WALKING



VLX105
TRAVERTINE



VLX107
ATLANTIC GREY

VIVANTA™
SOLID SURFACES



LUXE

COLLECTON

VLX110
BELLIZZI

VLX110
BELLIZZI

VLX109
WHIPPED CREAM

VLX114
LAVIANO




QUARTZ

COLLECTON

VP105
SILVER BEACH



VP105
SILVER BEACH




VP104
ICE QUBE

VIVANTA™
SOLID SURFACES


QUARTZ

COLLECTON

VP106
GREY PEBBLE



VP101
RADIANCE



VIVANTA[™]
SOLID SURFACES




GRANITES


COLLECTON

VG04
ELEGANCE

Sparkles



SP01
SPARKLE WHITE



SP02
SPARKLE GRAY




SP03
SPARKLE BLACK

Granites




VG14
SALT




VG22
LINEN




VG02
PURE ARCTIC




VG01
EVEREST




VG07
CRYSTAL



VG08
BEIGE SAND



VG04
ELEGANCE



VG05
GOLD SAND



VG18
RAFFIA



VG15
MIST




VG09
ULTRA
CONCRETE




VG 12
SANDED
CONCRETE



VG16
SAND CLAY



VG06
MOCHA CAFÉ




PREMIUM

COLLECTON


VS24
STEEL

VIVANTA™
SOLID SURFACES

Whites




VS06
ANTARCTIC WHITE




VS09
PREMIUM WHITE

Premium Solids



VS12
NU CREAM



VS14
GRAY



VS15
CONCRETE GRAY



VS16
BLACK



VS18
HOT



VS19
SUN



VS20
CITRUS ORANGE



VS22
KHAKHI



VS24
STEEL



VS25
COFFEE




VS26
MAGENTA



VS27
CHARCOL



VS28
SPRING GREEN



VS29
MEDI BLUE



VS30
STRAWBERRY
WINE




VS34
DIASY BLUE


Bright Solids



VS31
MINT ICE



VS32
STRAWBERRY
ICE



VS33
LIME ICE



Technical Specifications

PHYSICAL PROPERTIES

PROPERTY	TEST METHOD	UNIT	TYPICAL VALUES
SPECIFIC GRAVITY((23/23) °C)	ASTM D792-13 (METHOD A)		1.74
ROCKWELL HARDNESS (HRM)	ASTM D785-08(2015) (PROCEDURE A)		82
BARCOL HARDNESS	ASTM D2583-13a		66
FLEXURAL STRENGTH	ASTM D790-17(*)	MPA	69.8
FLEXURAL MODULUS OF ELASTICITY	ASTM D790-17(*)	GPA	9.97
IZOD IMPACT STRENGTH	ASTM D256-10E1 (METHOD A)	J/M	23
DEFLECTION TEMPERATURE UNDER LOAD (1.82 MPA)	ASTM D648-16 (METHOD B)	°C	100
THERMAL EXPANSION	KS M 3015 : 2003	1/°C	4.1x10 ⁻⁵
TENSILE STRENGTH	ASTM D638-14(**)	MPA	45.4
TENSILE MODULUS OF ELASTICITY	ASTM D638-14(**)	GPA	10.1
WATER ABSORPTION RATE (24 H IMMERSION)	ASTM D570-98(2010)E1	%	0.05

* Speed of Testing: 6.2 mm/ min, Support Span: 230 mm

** Speed of Testing: 5 mm/ min,)Modulus: 1 mm/min, Specimen Type: Type I

PRODUCT SPECIFICATIONS

Whites	THICKNESS		WIDTH		LENGTH	
	mm	in	mm	in	mm	in
Premium Solids	6	1/4	760	30	2490	98
	12.0	1/2	760	30	3680	145
Bright Solids	6	1/4	760	30	2490	98
	12.0	1/2	760	30	3680	145
Sparkles	6	1/4	760	30	2490	98
	12.0	1/2	760	30	3680	145
Granites	6	1/4	760	30	2490	98
	12.0	1/2	760	30	3680	145

Disclaimer: The information contained herein is provided by Vivanta, and its subsidiaries and affiliates (collectively referred to as "Vivanta") for information purpose only and should be used by individuals with technical experience and knowledge in the area. Vivanta does not make any representation or warranties of the usefulness or expected result of the information, and does not assume any responsibility whatsoever related to use of the information. Exclusion of the implied warranties may not apply in certain jurisdictions.